

Message

From: Wagner, Christine [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=12068C1889924ECF96F692831F0C77D4-CWAGNE02]
Sent: 8/18/2022 3:31:56 PM
To: [Nonresponsive based on revised scope]
Subject: RE: Shiloh Church Rd

[Nonresponsive based on revised scope]

Thank you. To avoid confusion, these data should be referred to as "Property 3". Not nit-picking here, but "Property" and "Area" have two distinct separate meanings on this site and I would like to be consistent

Thank you
Chris

From: [Nonresponsive based on revised scope]
Sent: Wednesday, August 17, 2022 8:18 AM
To: Wagner, Christine <Wagner.Christine@epa.gov>
Subject: RE: Shiloh Church Rd

Morning Chris,

I pulled all the XRF information, minus the sample results from 3/27/20 into a new file and made sure to categorize the XRF levels like found in the previous sheet I sent over. I can take a look at the pile issues to see how they show on the map. Lets plan to review the data the week of the 29th. I planned to mobilize on Sunday to begin work on Monday morning. For personnel, did you want myself and one technician.

Nonresponsive based on revised scope

Tetra Tech | Complex World, Clear Solutions™ | EMI Northeast Operations
661 Andersen Dr Ste. 200 Pittsburgh, PA 15220 | tetratech.com

This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.

From: Wagner, Christine <Wagner.Christine@epa.gov>
Sent: Tuesday, August 16, 2022 9:34 PM
To: [Nonresponsive based on revised scope]
Subject: RE: Shiloh Church Rd

⚠ CAUTION: This email originated from an external sender. Verify the source before opening links or attachments. ⚠

[Nonresponsive based on revised scope]

Thanks for working on this. Is there a way to save just the Property 3 results into a separate file and send it to me. I really need this info for my action memo.

I perused the rest of the data and there are some major issues. All of the Pile 1, Pile 2, Area 9, Area 8, Mounds, etc. data are from Property 1, not Property 2. I hope these are plotted correctly

We can go over this next week or the week of 8/29. The EPA CIC is working on scheduling the sampling appointments, so START does not need to do that. However, please remember this will require a Sunday move. The ERRS subcontractor who performs maintenance is scheduled for Monday

Thank you
Chris

From: Nonresponsive based on revised scope

Sent: Monday, August 15, 2022 2:40 PM

To: Wagner, Christine <Wagner.Christine@epa.gov>

Subject: RE: Shiloh Church Rd

Afternoon Chris,

Attached is a revised spreadsheet in regards to the XRF count and how the excel file informed the view of the meaning of the XRF value.

Nonresponsive based on revised scope

Tetra Tech | Complex World, Clear Solutions™ | EMI Northeast Operations
661 Andersen Dr Ste. 200 Pittsburgh, PA 15220 | tetratech.com

This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.

From: Wagner, Christine <Wagner.Christine@epa.gov>

Sent: Friday, August 12, 2022 5:02 AM

To: Nonresponsive based on revised scope

Subject: Shiloh Church Rd

⚠ CAUTION: This email originated from an external sender. Verify the source before opening links or attachments. ⚠

Nonresponsive based on revised scope

Thank you for your help this week. Please revise the spreadsheet as we discussed. Are you available the week of 8/29? This may be a good week to perform residential bi-annual sampling and to meet to work on other tasks on the TD

Please let me know
Thanks
Chris